



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

BOTANICAL GAZETTE

THE
BOTANICAL GAZETTE

EDITORS:

JOHN MERLE COULTER AND CHARLES REID BARNES

VOLUME XLIX

JANUARY-JUNE, 1910

WITH ONE PORTRAIT, TWENTY-TWO PLATES, AND SEVENTY-FIVE FIGURES

CHICAGO
THE UNIVERSITY OF CHICAGO PRESS
1910

Published
January, February, March, April, May, June, 1910

Composed and Printed By
The University of Chicago Press
Chicago, Illinois, U.S.A.

TABLE OF CONTENTS

	PAGE
Chromosomes in Osmunda. Contributions from the Hull Botanical Laboratory 132 (with plate I) -	<i>Shigéo Yamanouchi</i> 1
The development of the embryo of Encephalartos (with plate II and one figure) -	<i>W. T. Saxton</i> 13
The origin of heterospory in Marsilia. Contributions from the Hull Botanical Laboratory 133 (with plates III-VI and one figure) -	<i>Charles H. Shattuck</i> 19
On the lack of antagonism between calcium versus magnesium and also between calcium versus sodium -	<i>Charles B. Lipman</i> 41
The effect of certain chemical agents upon the transpiration and growth of wheat seedlings (with nine figures) -	<i>Howard S. Reed</i> 81
Inheritance of sex in Lychnis (with two figures)	<i>George Harrison Shull</i> 110
The reforestation of sand plains in Vermont. Contributions from the Hull Botanical Laboratory 135 (with map and fifteen figures) -	<i>Clifton Durant Howe</i> 126
On the origin of the broad ray in Quercus (with plates VIII and IX) -	<i>Arthur J. Eames</i> 161
The prothallia of Aneimia and Lygodium. Contributions from the Hull Botanical Laboratory 136 (with plates X and XI) -	<i>Edith Minot Twiss</i> 168
The structure and relationship of <i>Urnula geaster</i> (with plate XII and three figures) -	<i>F. D. Heald and F. A. Wolf</i> 182
The exchange of material between nucleus and cytoplasm in <i>Peperomia sintenisii</i> (with plate XIII) -	<i>William H. Brown</i> 189
Development of the Helvellineae (with plates XIV-XVI and one figure) -	<i>W. A. McCubbin</i> 195
On physiologically balanced solutions for bacteria (<i>B. subtilis</i>) -	<i>Charles B. Lipman</i> 207
The cell structure of <i>Closterium Ehrenbergii</i> and <i>C. moniliferum</i> (with plates XVII and XVIII) -	<i>B. F. Lutman</i> 241
Climatology and vegetation in Colorado (with seven figures) -	<i>W. W. Robbins</i> 256
The floral development and embryogeny of <i>Eriocaulon septangulare</i> (with plates XIX and XX) -	<i>R. Wilson Smith</i> 281
The closing response in Dionaea (with one figure)	<i>William H. Brown and Lester W. Sharp</i> 290

Charles Reid Barnes (with portrait) - - - - -	321
Physiologically arid habitats and drought resistance in plants (with twelve figures) - - - - -	<i>W. D. Hoyt</i> 340
Variation and correlation in rays and disk florets of <i>Aster fastigiatus</i> (with four figures) - - - - -	<i>H. Nakano</i> 371
The effect of some toxic solutions on mitosis (with seven figures) - - - - -	<i>Warner W. Stockberger</i> 402
The relation of hairy and cutinized coverings to trans- piration (with one figure) - - - - -	<i>Karl M. Wiegand</i> 430
The morphology of the peridial cells in the Roesteliae (with plates XXI and XXII and two figures) - - - - -	<i>Frank Dunn Kern</i> 445
Undescribed plants from Guatemala and other Cen- tral American Republics. XXXIII - - - - -	<i>John Donnell Smith</i> 453
BRIEFER ARTICLES—	
The microsporophylls of Ginkgo. Contributions from the Hull Botanical Laboratory I34 (with plate VII) - - - - -	<i>Anna M. Starr</i> 51
Alternation of generations and sexuality in <i>Dictry- ota dichotoma</i> - - - - -	<i>W. D. Hoyt</i> 55
Microtechnique for woody structures - - - - -	<i>Irving W. Bailey</i> 57
Vivipary in <i>Tillandsia tenuifolia</i> L. (with one figure) - - - - -	<i>John W. Harshberger</i> 59
The physiological conditions for the development of monoecious prothallia in <i>Onoclea Struthiope- teris</i> - - - - -	<i>Elizabeth Dorothy Wuist</i> 216
Cecidology in America - - - - -	<i>Mel. T. Cook</i> 219
Fixing and staining tannin in plant tissues with nitrous ethers (with eight figures) - - - - -	<i>A. E. Vinson</i> 222
An abnormal bract-modification in cotton (with one figure) - - - - -	<i>H. A. Allard</i> 303
The biological antagonism between calcium and magnesium - - - - -	<i>Oscar Loew</i> 304
A simple vaporimeter (with one figure) - - - - -	<i>Edgar N. Transeau</i> 459
Phylogeny of plants - - - - -	<i>J. B. Lotsy</i> 460
CURRENT LITERATURE— - - - - -	60, 149, 225, 305, 379, 462
For titles of book reviews see index under author's name and reviews	
Papers noticed in "Notes for Students" are in- dexed under author's name and subjects	

DATES OF PUBLICATION

No. 1, January 22; No. 2, February 16; No. 3, March 15; No. 4, April 19;
No. 5, May 17; No. 6, June 23.

ERRATA

VOLUME XLVIII

P. 69, last line, for tubellarian read turbellarian.

VOLUME XLIX

P. 102, table IV, transfer plants from first line of legend to first word in second line.

P. 114, table I, last line, ratio should read 21♀ : 2♂ : 11♂.

P. 120, fig. 1, below five vertical lines (beginning second from left) insert respectively, left to right, 0%, 25%, 50%, 75%, 100%.

—, opposite horizontal lines insert respectively, bottom to top, 0, 5, 10, 15, 20, 25.

P. 121, fig. 2, below vertical lines insert respectively, beginning with second, left to right, 30%, 40%, 50%, 60%, 70%, 80%, 90%.

—, opposite horizontal lines insert respectively, bottom to top, 0, 5, 10, 15, 20, 25, 30.

P. 133, line 5 from bottom, for Hammamelis read Hamamelis.

P. 136, line 9 from bottom, for artemisiaefolia read artemisiifolia.

—, line 7 from bottom, for canadense read canadensis.

P. 146, line 7 from bottom, for rangifera read rangiferina.

P. 155, line 2, for aso read also.

—, line 7, for Morremia read Morrenia.

—, line 7 from bottom, for Wolff, K. read Wolff, H.

P. 156, line 7 from bottom, for Polyblastis read Polyblastia.

P. 177, line 16, for Greeman read Greenman.

P. 180, citation 17, for Wachen read Wachsen.

P. 267, fig. 7, line 2 of legend, for smaller read greater.

P. 310, line 24 from top, for Scaveola read Scaevola.